
## **GOBLE DISC HARROW**



SMGDH-20









\*\*\*\*\*









## **GENERAL FEATURES**

Heavy Disc Trailed Disc Harrow: These are being manufactured from 16 to 34 discs as fixed chassis. It has more model alternatives such as 22 cm of disc spaces ,560 mm – 610 mm – 660 mm of disc diameters, plain and notched type of discs. These alternatives enable to farmers for choosing the most suitable equipment for their own conditions. The disc direction angle that can be opened to 22 degree gets good soil working and also desired working depth. 2 pieces of land type of tyres with the size 11.5/8-15.3 are used for each machines. It is absolutely a suitable equipment for diminished soil working and minimum soil working.

## **TECHNICAL DETAILS**

CODE	DISC DIAMETER (CM)	WORKING WIDTH (CM)	WEIGHT (KG)	DISC SPACE (MM)	BEARING BED QUANTITY	REQUIRED POWER (HP)
SMGDH-16	56	176	1260	220	6	45-50
SMGDH-18	56	198	1420	220	6	50-55
SMGDH-20	56	220	1575	220	8	65-70
SMGDH-22	56	242	1735	220	8	70-75
SMGDH-24	56	264	1860	220	8	75-80
SMGDH-26	56	286	2045	220	8	80-90
SMGDH-28	56	308	2200	220	8	90-120
SMGDH-30	56	330	2360	220	8	120-140
SMGDH-32	56	352	2520	220	8	150-160
SMGDH-34	56	374	2675	220	8	160-170

CODE	DISC DIAMETER (CM)		WORKING WIDTH (CM)	WEIGHT (KG)		DISC SPACE	BEARING BED	REQUIRED POWER
				61Q	66Q	(MM)	QUANTITY	(HP)
SMGDH-20	61	66	220	1620	1735	220	8	65-70
SMGDH-22	61	66	242	1800	1930	220	8	70-75
SMGDH-24	61	66	264	1930	2070	220	8	75-80
SMGDH-26	61	66	286	2145	2275	220	8	80-90
SMGDH-28	61	66	308	2290	2455	220	8	90-120
SMGDH-30	61	66	330	2455	2630	220	8	120-140
SMGDH-32	61	66	352	2620	2800	220	8	150-160
SMGDH-34	61	66	374	2780	2980	220	8	160-170



HEAD OFFICE

**FACTORY** 

Add: Fevzi Cakmak Mh. 10758 Sk. No: 16/G 42050 Karatay/Konya/TURKEY Add: Büyükkayacık Osb, Yaylacık Cd. No: 23, 42250 Selcuklu/Konya/TURKEY

T: +90 332 290 00 20 F: +90 332 290 00 19 T: +90 332 239 18 85 T: +90 332 239 18 86 F: +90 332 239 18 87

www.soilmaster.com.tr



+90 (532) 137 01 74



info@soilmaster.com.tr



